

GENERAL INFORMATION

| | |
|-----------------|--------------------|
| Report Name | Audi e-Tron 2020 |
| Serial number | 10373 PROFESSIONAL |
| Unit of measure | µm |


VEHICLE DATA

| | |
|-----------------------|-------------------|
| Type | SUV |
| Make | Audi |
| Model | E-Tron |
| Engine capacity [ccm] | - |
| Power [kW] | 300 |
| VIN | WAUZZZGEXLB031927 |
| Fuel Type | Electric |
| Year of production | 2020 |

MEASUREMENTS

"-" means measurement skip, "∞" means measurement out of range

PAS: general interpretation, body



LEFT FRONT FENDER/ BUMPER

| Coating | Fe |
|---------|-----|
| Minimum | 118 |
| Maximum | 125 |
| Medium | 122 |
| 1. | 121 |
| 2. | 125 |
| 3. | 125 |
| 4. | 118 |

LEFT FRONT DOOR

| Coating | Fe |
|---------|-----|
| Minimum | 105 |
| Maximum | 149 |
| Medium | 123 |
| 1. | 110 |
| 2. | 105 |
| 3. | 115 |
| 4. | 134 |
| 5. | 149 |

LEFT REAR DOOR


| Coating | Fe |
|---------|-----|
| Minimum | 89 |
| Maximum | 126 |
| Medium | 107 |
| 1. | 126 |
| 2. | 119 |
| 3. | 94 |
| 4. | 89 |
| 5. | 108 |

LEFT PILLAR

| Coating | Fe |
|---------|-----|
| Minimum | 90 |
| Maximum | 112 |
| Medium | 99 |
| 1. | 112 |
| 2. | 100 |
| 3. | 94 |
| 4. | 90 |

LEFT REAR FENDER/ BUMPER

| Coating | Fe |
|---------|-----|
| Minimum | 90 |
| Maximum | 121 |
| Medium | 109 |
| 1. | 90 |
| 2. | 111 |
| 3. | 121 |
| 4. | 107 |
| 5. | 117 |



**RIGHT REAR FENDER/
BUMPER**

| Coating | Fe |
|---------|-----|
| Minimum | 96 |
| Maximum | 126 |
| Medium | 109 |
| 1. | 123 |
| 2. | 126 |
| 3. | 99 |
| 4. | 99 |
| 5. | 96 |

RIGHT PILLAR

| Coating | Fe |
|---------|-----|
| Minimum | 89 |
| Maximum | 110 |
| Medium | 100 |
| 1. | 103 |
| 2. | 110 |
| 3. | 89 |
| 4. | 98 |

RIGHT REAR DOOR


| Coating | Fe |
|---------|-----|
| Minimum | 109 |
| Maximum | 128 |
| Medium | 118 |
| 1. | 109 |
| 2. | 128 |
| 3. | 116 |
| 4. | 114 |
| 5. | 121 |

RIGHT FRONT DOOR

| Coating | Fe |
|---------|-----|
| Minimum | 90 |
| Maximum | 129 |
| Medium | 109 |
| 1. | 117 |
| 2. | 129 |
| 3. | 112 |
| 4. | 90 |
| 5. | 98 |


**RIGHT FRONT
FENDER/BUMPER**

| Coating | Fe |
|---------|-----|
| Minimum | 90 |
| Maximum | 136 |
| Medium | 115 |
| 1. | 90 |
| 2. | 108 |
| 3. | 136 |
| 4. | 125 |



TRUNK/BOOT

| | |
|---------|-----|
| Coating | Fe |
| Minimum | 106 |
| Maximum | 116 |
| Medium | 112 |
| 1. | 113 |
| 2. | 106 |
| 3. | 116 |



HOOD/BONNET

| | |
|---------|-----|
| Coating | Fe |
| Minimum | 101 |
| Maximum | 132 |
| Medium | 114 |
| 1. | 132 |
| 2. | 116 |
| 3. | 101 |
| 4. | 116 |
| 5. | 107 |

ROOF

| | |
|---------|-----|
| Coating | Fe |
| Minimum | 115 |
| Maximum | 130 |
| Medium | 122 |
| 1. | 129 |
| 2. | - |
| 3. | 116 |
| 4. | 115 |
| 5. | 130 |